

ASSIGNMENT 01

Name: Kodurupaka Rajesh

Hall Ticket Number: 2406DGAL153

Mail id: rajesh.kluniversity@gmail.com

Mobile number: 9133245888

Question 1:

Number game between user and computer. The user starts by entering either 1 or 2 or 3 digits starting from 1 sequentially. The computer can return either 1 or 2 or 3 next digits in sequence, starting from the max number played by the user. User enters the next 1 or 2 or 3 next digits in sequence, starting from the max number played by the computer. Whoever reaches 20 first wins the game.

Note:

- the numbers should be in sequence starting from 1.
- minimum number user or computer should pick is at least 1 digit in sequence
- maximum number user or computer can pick only 3 digits in sequence

Example 1:

Player: 1 2

Computer played: [3, 4]

Player: 5 6 7

Computer played: [8, 9]

Player: 10

Computer played: [11, 12, 13]

Player: 14 15

Computer played: [16, 17, 18]

Player: 19 20

Player Wins!!!

Example 2:

Player: 1

Computer played: [2, 3]

Player: 4 5

Computer played: [6, 7, 8]

Player: 9 10

Computer played: [11]

Player: 12

Computer played: [13]

Player: 14 15

Computer played: [16]

Player: 17 18

Computer played: [19, 20]

Computer Wins!!!

ANSWER:

```
import random

def get_user_input(current_max):
    while True:
        try:
            user_input = input(f"Enter 1, 2, or 3 digits starting from {current_max + 1}: ")
            numbers = list(map(int, user_input.split()))
            if all(num == current_max + i + 1 for i, num in enumerate(numbers)) and 1 <=
len(numbers) <= 3:
                return numbers
        else:
            print(f"Invalid input. Please enter 1 to 3 sequential numbers starting from
{current_max + 1}.")
```

```

except ValueError:
    print("Invalid input. Please enter valid integers.")

def get_computer_input(current_max):
    count = random.randint(1, 3) # Computer picks 1 to 3 digits
    return [current_max + i + 1 for i in range(count)]

def play_game():
    current_max = 0

    while current_max < 20:
        # User's turn
        user_numbers = get_user_input(current_max)
        current_max += len(user_numbers)
        print(f"You picked: {user_numbers}. Current max is {current_max}.")
        if current_max >= 20:
            print("Congratulations! You reached 20 and win!")
            break

        # Computer's turn
        computer_numbers = get_computer_input(current_max)
        current_max += len(computer_numbers)
        print(f"Computer picked: {computer_numbers}. Current max is {current_max}.")
        if current_max >= 20:
            print("Computer reached 20. You lose!")

if __name__ == "__main__":
    play_game()

```

Question 2:

Develop a function called `ncr(n,r)` which computes r-combinations of n-distinct object . use this function to print pascal triangle, where number of rows is the input

ANSWER:

```
def ncr(n, r):
    if r > n or r < 0:
        return 0
    if r == 0 or r == n:
        return 1
    # Calculate nCr using the formula  $n! / (r! * (n - r)!)$ 
    num = 1
    denom = 1
    for i in range(r):
        num *= (n - i)
        denom *= (i + 1)
    return num // denom

def print_pascals_triangle(rows):
    for i in range(rows):
        # Print leading spaces for formatting
        print(' ' * (rows - i), end='')
        for j in range(i + 1):
            print(ncr(i, j), end=' ')
        print()

# Main function to get user input and print Pascal's Triangle
def main():
    rows = int(input("Enter the number of rows for Pascal's Triangle: "))
    print_pascals_triangle(rows)

if __name__ == "__main__":
    main()
```

Question 3:

Read a list of n numbers during runtime. Write a Python program to print the repeated elements with frequency count in a list.

Example :

Input:- [2,1,2,3,4,5,1,3,6,2,3,4]

Output:-

Element 2 has come 3 times

Element 1 has come 2 times

Element 3 has come 2 times

Element 4 has come 2 times

Element 1 has come 1 times

Element 6 has come 1 times

ANSWER:

```
from collections import Counter
```

```
def main():
```

```
    # Read a list of numbers from user input
```

```
    numbers = input("Enter a list of numbers separated by spaces: ").split()
```

```
    # Convert the input strings to integers
```

```
    numbers = list(map(int, numbers))
```

```
    # Count the frequency of each number
```

```
    frequency = Counter(numbers)
```

```
    # Print the repeated elements with their frequency count
```

```
    print("Repeated elements with frequency:")
```

```
for number, count in frequency.items():
    if count > 1:
        print(f'Number: {number}, Frequency: {count}')

if __name__ == "__main__":
    main()
```

Question 4:-

Develop a python code to read matrix A of order 2X2 and Matrix B of order 2X2 from a file and perform the addition of Matrices A & B and Print the results.

ANSWER:

```
# Program to add two matrices using nested loop
```

```
X = [[1, 2, 3],
     [4, 5, 6],
     [7, 8, 9]]
```

```
Y = [[9, 8, 7],
     [6, 5, 4],
     [3, 2, 1]]
```

```
result = [[0, 0, 0],
          [0, 0, 0],
          [0, 0, 0]]
```

```
# iterate through rows
```

```
for i in range(len(X)):
```

```
    # iterate through columns
```

```
for j in range(len(X[0])):
    result[i][j] = X[i][j] + Y[i][j]
```

```
for r in result:
    print(r)
```

Question 5:-

Write a program that overloads the + operator so that it can add two objects of the class Fraction. Fraction can be considered of the form P/Q where P is the numerator and Q is the denominator

ANSWER:

```
from math import gcd
```

```
class Fraction:
```

```
    def __init__(self, numerator, denominator):
        if denominator == 0:
            raise ValueError("Denominator cannot be zero.")
        common = gcd(numerator, denominator)
        self.numerator = numerator // common
        self.denominator = denominator // common
```

```
    def __add__(self, other):
        if not isinstance(other, Fraction):
            return NotImplemented
        new_numerator = (self.numerator * other.denominator) + (other.numerator *
self.denominator)
        new_denominator = self.denominator * other.denominator
```

```
return Fraction(new_numerator, new_denominator)
```

```
def __str__(self):
```

```
    return f"{self.numerator}/{self.denominator}"
```

```
# Example usage:
```

```
fraction1 = Fraction(1, 2)
```

```
fraction2 = Fraction(1, 3)
```

```
result = fraction1 + fraction2
```

```
print(result) # Output: 5/6
```