

```
# Write a Python program to check whether a
# list contains a sublist.
# Input
# a = [2,4,3,5,7]
# b = [4,3]
# c = [3,7]
# print(is_Sublist(a, b))
# print(is_Sublist(a, c))
# Output
```

```
In [1]: def is_Sublist(a, b):
    if len(b) == 0:
        return True
    if len(a) == 0 or len(a) < len(b):
        return False

    for i in range(len(a)):
        if a[i] == b[0] and a[i:i + len(b)] == b:
            return True

    return False

a = [2, 4, 3, 5, 7]
b = [4, 3]
c = [3, 7]

print(is_Sublist(a, b)) # True
print(is_Sublist(a, c)) # False
```

```
True
False
```

```
# Write a Python program to find common
# items from two lists.
# input
# color1 = "Red", "Green", "Orange", "White"
# color2 = "Black", "Green", "White", "Pink"
# output
# {'Green', 'White'}
```

```
In [2]: def find_common_items(list1, list2):
    set1 = set(list1)
    set2 = set(list2)
    common_items = set1.intersection(set2)
    return common_items

color1 = ["Red", "Green", "Orange", "White"]
color2 = ["Black", "Green", "White", "Pink"]

common_colors = find_common_items(color1, color2)
print(common_colors)

{'White', 'Green'}
```

**# Write a Python program to get the difference between the two lists**

**# Input**  
**# list1 = [1, 2, 3, 4]**  
**# list2 = [1, 2]**  
**# Output**  
**# [3,4]**

```
In [3]: def get_list_difference(list1, list2):
    difference = list(set(list1) - set(list2))
    return difference

list1 = [1, 2, 3, 4]
list2 = [1, 2]

difference = get_list_difference(list1, list2)
print(difference)
```

[3, 4]

**# Write a Python program to generate all permutations of a list in Python**

**# Input [1,2,3]**  
**# Output [(1,2,3), (1,3,2), (2,1,3), (2,3,1), (3,1,2), (3,2,1)]**

```
In [4]: import itertools

def generate_permutations(lst):
    permutations = list(itertools.permutations(lst))
    return permutations

input_list = [1, 2, 3]
permutations = generate_permutations(input_list)
print(permutations)
```

```
[(1, 2, 3), (1, 3, 2), (2, 1, 3), (2, 3, 1), (3, 1, 2), (3, 2, 1)]
```

# Write a Python program to remove duplicates from a list.  
# Input a = [10,20,30,20,10,50,60,40,80,50,40]  
# Output {40, 10, 80, 50, 20, 60, 30}

```
In [5]: def remove_duplicates(a):
    unique_list = list(set(a))
    return unique_list

a = [10, 20, 30, 20, 10, 50, 60, 40, 80, 50, 40]
unique_elements = remove_duplicates(a)
print(unique_elements)
```

```
[40, 10, 80, 50, 20, 60, 30]
```

```
In [ ]:
```