

In [1]:

```
import pandas as pd
import matplotlib.pyplot as plt
import seaborn as sns

#loading the train.csv file
titanic_data = pd.read_csv('C:/Users/SMSK-105-50/titanic/train.csv')

# Display the first few rows of the dataset
print(titanic_data.head())

# Basic statistics
print("Basic Statistics:")
print(titanic_data.describe())

# Data types and missing values
print("Data Types and Missing Values:")
print(titanic_data.info())

# Survival count
print("Survival Count:")
print(titanic_data['Survived'].value_counts())

# Age distribution
plt.figure(figsize=(10, 6))
sns.histplot(titanic_data['Age'].dropna(), bins=20, kde=True, color='skyblue')
plt.title('Age Distribution')
plt.xlabel('Age')
plt.ylabel('Frequency')
plt.show()

# Survival by gender
plt.figure(figsize=(8, 6))
sns.countplot(x='Survived', hue='Sex', data=titanic_data)
plt.title('Survival by Gender')
plt.xlabel('Survived')
plt.ylabel('Count')
plt.legend(title='Sex', loc='upper right')
plt.show()

# Survival by passenger class
plt.figure(figsize=(8, 6))
sns.countplot(x='Survived', hue='Pclass', data=titanic_data)
plt.title('Survival by Passenger Class')
plt.xlabel('Survived')
plt.ylabel('Count')
plt.legend(title='Pclass', loc='upper right')
plt.show()

# Fare distribution by passenger class
plt.figure(figsize=(10, 6))
sns.boxplot(x='Pclass', y='Fare', data=titanic_data)
plt.title('Fare Distribution by Passenger Class')
plt.xlabel('Pclass')
plt.ylabel('Fare')
plt.show()
```

```
 PassengerId  Survived  Pclass  \
0            1         0        3
1            2         1        1
2            3         1        3
3            4         1        1
4            5         0        3
```





```
      Name                               Sex  Age  SibSp  \
0  Braund, Mr. Owen Harris                male  22.0    1
1  Cumings, Mrs. John Bradley (Florence Briggs Th...  female  38.0    1
2                Heikkinen, Miss. Laina        female  26.0    0
3  Futrelle, Mrs. Jacques Heath (Lily May Peel)    female  35.0    1
4                Allen, Mr. William Henry        male  35.0    0
```

```
   Parch  Ticket   Fare Cabin Embarked
0      0   A/5 21171  7.2500   NaN      S
1      0    PC 17599  71.2833   C85      C
2      0  STON/O2. 3101282  7.9250   NaN      S
3      0   113803  53.1000  C123      S
4      0   373450  8.0500   NaN      S
```

```
Basic Statistics:
 PassengerId  Survived  Pclass  Age  SibSp  \
count  891.000000  891.000000  891.000000  714.000000  891.000000
mean    446.000000    0.383838    2.308642  29.699118    0.523008
std     257.353842    0.486592    0.836071  14.526497    1.102743
min       1.000000    0.000000    1.000000    0.420000    0.000000
25%     223.500000    0.000000    2.000000   20.125000    0.000000
50%     446.000000    0.000000    3.000000   28.000000    0.000000
75%     668.500000    1.000000    3.000000   38.000000    1.000000
max     891.000000    1.000000    3.000000   80.000000    8.000000
```

```
   Parch  Fare
count  891.000000  891.000000
mean    0.381594  32.204208
std     0.806057  49.693429
min     0.000000  0.000000
25%     0.000000  7.910400
50%     0.000000  14.454200
75%     0.000000  31.000000
max     6.000000  512.329200
```

```
Data Types and Missing Values:
<class 'pandas.core.frame.DataFrame'>
RangeIndex: 891 entries, 0 to 890
Data columns (total 12 columns):
# Column      Non-Null Count  Dtype
---  -
0  PassengerId  891 non-null    int64
1  Survived     891 non-null    int64
2  Pclass       891 non-null    int64
3  Name         891 non-null    object
4  Sex          891 non-null    object
5  Age         714 non-null    float64
6  SibSp       891 non-null    int64
7  Parch       891 non-null    int64
8  Ticket      891 non-null    object
9  Fare        891 non-null    float64
10 Cabin     204 non-null    object
11 Embarked  889 non-null    object
dtypes: float64(2), int64(5), object(5)
memory usage: 83.7+ KB
None
Survival Count:
Survived
0    549
1    342
Name: count, dtype: int64
```



In []: